## NSN 5950-00-131-7717

Saturable Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-131-7717

Reliability Indicator:
Not established
Overall Length:
2.060 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.120 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.680 inches single mounting facility single center group
Overall Height:
1.020 inches
Overall Width:
1.180 inches
Frequency Rating:
8.2 kilohertz single component
Winding Shielding Method:
Internal shield brought out to terminal single component
Body Length:
1.620 inches
Body Height:
0.620 inches
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary and 1 control single component
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.138 inches single group
Dc Resistance Rating In Ohms:
1.380 single component single primary
Winding Operating Voltage:
9.20 ac volts single component single control
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
6 wire hook
Shelf Life:

N/a

## NSN 5950-00-131-7717

Saturable Reactor - Page 2 of 2



		• •			
ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A058b0