# NSN 5950-00-135-6902

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-135-6902

F	rec	nue	ncv	<sup>r</sup> Ra	tin	a:
		uu	110	ıνα		ч.

60.0 hertz single component

### Input-output Phase Relationship:

Single phase to single phase single component

#### Winding Shielding Method:

Internal shield grounded to inclosure and core single component

### **Maximum Operating Temp:**

60.0 degrees celsius

#### **Mounting Method:**

Threaded stud single group

#### **Winding Function And Quantity:**

1 primary single component and 1 secondary single component

#### Thready Qty Per Inch (tpi):

32 single group

#### **Thread Size:**

0.164 inches single group

#### **Winding Operating Current:**

6.0 amperes ac single component single secondary

# **Winding Power Rating:**

22.0 volts-amperes single component single secondary

# **Winding Operating Voltage:**

3.00 ac volts single component single secondary

#### **Thread Series Designator:**

Unc single group

#### **Terminal Type And Quantity:**

4 turret

# **Specification Or Standard:**

1 grade and a class

Shelf Life:

N/a

**Unit Of Measure:** 

--

#### Demilitarization:

No

#### Fiig:

A058b0