

View Online at <https://aerobasegroup.com/nsn/5950-00-135-7140>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.000 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.250 inches single mounting facility single center group

Mounting Hole Diameter:

0.172 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

2.500 inches

Body Width:

2.000 inches

Body Height:

1.850 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 3 secondary single component

Winding Operating Current:

3.2 milliamperes ac single component 1st secondary

Winding Operating Voltage:

6.30 ac pounds per hour wet single component 2nd secondary

Special Features:

Cwjs: 60.00dc volts single component 3rd secondary; crbz: 10.0 milliamperes dc single component 3rd secondary 3.2 milliamperes dc.

Terminal Type And Quantity:

8 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A058b0