NSN 5950-00-137-9049

Current Transformer - Page 1 of 2

26 wire hook



View Online at https://aerobasegroup.com/nsn/5950-00-137-9049

Reliability Indicator:
Not established
Overall Length:
3.340 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.437 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.937 inches single mounting facility single center group
Frequency Rating:
400.0 hertz single component
Input-output Phase Relationship:
Three phase to three phase single component
Transformer Winding Connection Type:
Delta-delta
Winding Shielding Method:
Primary shield grounded to inclosure and secondary shield brought out to terminal single component
Body Length:
3.000 inches
Body Width:
3.500 inches
Body Height:
1.500 inches
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 3rd group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 7 secondary single component
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.138 inches single group
Winding Operating Current:
9.5 milliamperes ac single component single primary and 0.5 amperes ac single component single primary
Winding Operating Voltage:
7.90 ac volts single component all secondary and 11.40 ac volts single component all secondary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:

NSN 5950-00-137-9049

Current Transformer - Page 2 of 2



_				-		
C	h	Δ	Iŧ.		ife:	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0