

View Online at <https://aerobasegroup.com/nsn/5950-00-140-1911>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.500 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.125 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to single phase single component

Maximum Transformer Power Rating:

187.0 volt-ampere single component

Winding Shielding Method:

Externally grounded and brought out to terminal single component

Body Length:

5.000 inches

Body Width:

3.875 inches

Body Height:

2.875 inches

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 6 secondary single component

Thread Size:

0.164 inches single group

Winding Operating Current:

60.0 milliamperes ac single component 1st secondary

Winding Operating Voltage:

108.00 ac volts single component single primary and 118.00 ac volts single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

21 tab, solder lug and 3 wire hook

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0