# NSN 5950-00-148-2766

Current Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-148-2766

# **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

0.700 inches single mounting facility single center group

### Center To Center Distance Between Mounting Facilities Parallel To Width:

0.400 inches single mounting facility single center group

#### **Overall Height:**

0.630 inches

#### **Frequency Rating:**

10.0 kilohertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

**Body Length:** 

0.880 inches

Body Width:

# 0.630 inches

Body Height:

0.480 inches

#### Installation For Which Designed:

Indoor portable

#### Inclosure Type:

Fully enclosed

#### **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Threaded hole single group

#### Winding Function And Quantity:

1 primary single component and 1 secondary single component

#### Thready Qty Per Inch (tpi):

56 single group

#### Thread Size:

0.086 inches single group

#### Winding Operating Current:

70.0 milliamperes dc single component single primary

#### Winding Operating Voltage:

15.00 ac volts single component single primary

## **Thread Series Designator:**

Unc single group

## **Terminal Type And Quantity:**

3 pin and 3 turret

Shelf Life:

N/a

# NSN 5950-00-148-2766

Current Transformer - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A058b0

