NSN 5950-00-153-5713

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-153-5713

Reliability Indicator:
Not established
Frequency Rating:
50.0 hertz single component or 60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Body Length:
1.625 inches
Body Width:
1.625 inches
Body Height:
2.375 inches
Maximum Operating Temp:
130.0 degrees celsius
Distance Between Mounting Facility Centers:
1.625 inches single mounting facility single center group
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
2 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.138 inches single group
Winding Operating Current:
600.0 milliamperes ac single component single secondary
Winding Power Rating:
0.70
3.78 volts-amperes single component single secondary
Winding Operating Voltage:
Winding Operating Voltage:
Winding Operating Voltage: 6.30 ac volts single component single secondary
Winding Operating Voltage: 6.30 ac volts single component single secondary Thread Series Designator:
Winding Operating Voltage: 6.30 ac volts single component single secondary Thread Series Designator: Unc single group
Winding Operating Voltage: 6.30 ac volts single component single secondary Thread Series Designator: Unc single group Terminal Type And Quantity:
Winding Operating Voltage: 6.30 ac volts single component single secondary Thread Series Designator: Unc single group Terminal Type And Quantity: 4 solder stud

--

NSN 5950-00-153-5713

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0