NSN 5950-00-155-0745

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-155-0745

| Reliability Indicator: |
|--|
| Not established |
| Center To Center Distance Between Moun |

ting Facilities Parallel To Length:

2.609 inches single mounting facility single center group and 2.640 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.109 inches single mounting facility single center group and 2.140 inches single mounting facility single center group

Inductance Type:

Fixed

Inductance Rating:

100.00 microhenries single component single winding

Frequency Rating:

2.4 kilohertz single component

Body Length:

3.560 inches

Body Width:

3.060 inches

Body Height:

4.870 inches

Winding Quantity:

1 single component

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Rating Method:

Electrical single component single winding

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.190 inches single group

Winding Operating Current:

70.0 amperes dc single component single winding

Dc Resistance Rating In Ohms:

0.007 single component single winding

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

2 threaded stud

Shelf Life:

N/a

NSN 5950-00-155-0745

Reactor - Page 2 of 2



| | • • | | | | | |
|----|-----|-------------|----|----|-----|----|
| ın | 18 | <i>(</i>)+ | Me | 20 | III | ω. |
| | | | | | | |

--

Demilitarization:

No

Fiig:

A058b0