

View Online at <https://aerobasegroup.com/nsn/5950-00-155-4731>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.115 inches single mounting facility single center group and 2.135 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.615 inches single mounting facility single center group and 0.635 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

Between 2.609 inches and 2.625 inches

Body Width:

Between 1.109 inches and 1.141 inches

Body Height:

Between 2.875 inches and 3.125 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Thread Size:

0.138 inches single group

Winding Operating Current:

5.5 milliamperes ac single component 1st secondary

Winding Operating Voltage:

7.00 ac volts single component 2nd secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

6 turret

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0