## NSN 5950-00-156-0709

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-156-0709

## Reliability Indicator:

Not established

### Center To Center Distance Between Mounting Facilities Parallel To Length:

5.484 inches single mounting facility single center group and 5.516 inches single mounting facility single center group

### Center To Center Distance Between Mounting Facilities Parallel To Width:

3.484 inches single mounting facility single center group and 3.515 inches single mounting facility single center group

#### **Frequency Rating:**

380.0 hertz single component and 420.0 hertz single component

#### Input-output Phase Relationship:

Three phase to three phase single component

**Body Length:** 

6.500 inches

Body Width:

4.500 inches

Body Height:

5.000 inches

Inclosure Type:

Hermetically sealed

**Mounting Facility Quantity:** 

6 single group

Mounting Method:

Threaded hole single group

## Winding Function And Quantity:

1 primary single component and 1 secondary single component

#### Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.190 inches single group

#### Winding Operating Current:

40.0 amperes dc single component single secondary

#### Winding Operating Voltage:

22.50 ac volts single component single secondary

#### **Thread Series Designator:**

Unf single group

#### **Terminal Type And Quantity:**

10 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

## Demilitarization:

No

# NSN 5950-00-156-0709

Power Transformer - Page 2 of 2

**Fiig:** A058b0

