

View Online at <https://aerobasegroup.com/nsn/5950-00-163-2344>

**Reliability Indicator:**

Not established

**Frequency Rating:**

5.0 kilohertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Body Length:**

Between 1.484 inches and 1.515 inches

**Body Width:**

Between 0.734 inches and 0.765 inches

**Body Height:**

Between 0.875 inches and 1.125 inches

**Maximum Operating Temp:**

85.0 degrees celsius

**Distance Between Mounting Facility Centers:**

1.000 inches single mounting facility single center group

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

2 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thread Size:**

0.138 inches single group

**Winding Operating Current:**

10.0 milliamperes ac single component single secondary

**Winding Operating Voltage:**

10.00 ac volts single component single primary

**Test Data Document:**

30003-247as-c1872 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

4 turret

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0