NSN 5950-00-163-2367

Power Transformer - Page 1 of 2

N/a



View Online at https://aerobasegroup.com/nsn/5950-00-163-2367

Reliability Indicator:
Not established
Overall Length:
4.190 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.109 inches single mounting facility single center group and 2.141 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.734 inches single mounting facility single center group and 1.766 inches single mounting facility single center group
Overall Height:
2.375 inches
Overall Width:
2.750 inches
Frequency Rating:
400.0 hertz single component
Input-output Phase Relationship:
Three phase to three phase single component
Winding Shielding Method:
Internal shield grounded to core and brought out to terminal single component
Body Length:
3.810 inches
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 3 secondary single component
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.138 inches single group
Winding Operating Current:
500.0 milliamperes dc single component 1st secondary
Winding Operating Voltage:
32.00 ac volts single component 3rd secondary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
13 turret
Shelf Life:

NSN 5950-00-163-2367

Power Transformer - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A058b0