

View Online at <https://aerobasegroup.com/nsn/5950-00-163-2368>

Reliability Indicator:

Not established

Overall Length:

4.255 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.609 inches single mounting facility single center group and 2.641 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.109 inches single mounting facility single center group and 2.141 inches single mounting facility single center group

Overall Height:

3.062 inches

Overall Width:

3.562 inches

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to single phase single component and three phase to three phase single component

Transformer Winding Connection Type:

Wye-open delta and taylor

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

3.875 inches

Body Width:

3.562 inches

Body Height:

3.062 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 12 secondary single component

Thread Size:

0.164 inches single group

Winding Operating Current:

5.0 amperes dc single component 4th secondary

Winding Operating Voltage:

43.75 ac volts single component 2nd secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

38 turret

Specification Data:

30003-247asc1286-001featgone primary and fourteen secondary; secondaries have full wave rectified government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0