## NSN 5950-00-164-9863

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-164-9863

### **Reliability Indicator:**

Not established

### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.625 inches single mounting facility single center group

### Center To Center Distance Between Mounting Facilities Parallel To Width:

2.125 inches single mounting facility single center group

### **Overall Height:**

5.875 inches

### **Frequency Rating:**

60.0 hertz single component

### Input-output Phase Relationship:

Single phase to single phase single component

### **Winding Shielding Method:**

Internal shield brought out to terminal single component

### **Body Length:**

**3.563** inches

### **Body Width:**

3.063 inches

### **Body Height:**

4.875 inches

### Inclosure Type:

Hermetically sealed

### **Mounting Facility Quantity:**

4 single group

### **Mounting Method:**

Threaded hole single group

### **Winding Function And Quantity:**

1 primary single component and 1 secondary single component

#### Thready Qty Per Inch (tpi):

28 single group

### **Thread Size:**

0.250 inches single group

### **Winding Operating Current:**

250.0 milliamperes dc single component single secondary

### **Winding Operating Voltage:**

28.00 ac volts single component single secondary

### **Thread Series Designator:**

Unf single group

### **Terminal Type And Quantity:**

5 threaded stud and 2 standoff, threaded stud

### Shelf Life:

N/a

# NSN 5950-00-164-9863

Power Transformer - Page 2 of 2



		eas	

--

Demilitarization:

No

Fiig:

A058b0