

View Online at <https://aerobasegroup.com/nsn/5950-00-165-3686>

Reliability Indicator:

Not established

Hazardous Locations/environmental Protection:

Salt spray resistant and vibration resistant and humidity resistant

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.490 inches single mounting facility single center group and 2.510 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.740 inches single mounting facility single center group and 1.760 inches single mounting facility single center group

Inductance Type:

Fixed

Inductance Rating:

140.00 millihenries single component single winding

Frequency Rating:

94.0 hertz single component and 840.0 hertz single component

Body Length:

3.280 inches

Body Width:

2.390 inches

Body Height:

2.900 inches

Maximum Operating Temp:

105.0 degrees celsius

Winding Quantity:

1 single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Rating Method:

Electrical single component single winding

Thread Size:

0.164 inches single group

Winding Operating Current:

800.0 milliamperes dc single component single winding

Dc Resistance Rating In Ohms:

1.800 single component single winding

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0