## NSN 5950-00-166-3994

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-166-3994

## **Reliability Indicator:**

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

2.297 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

1.859 inches single mounting facility single center group

## Frequency Rating:

57.0 hertz single component and 63.0 hertz single component

## Input-output Phase Relationship:

Single phase to single phase single component

**Body Length:** 

4.250 inches

**Body Width:** 

2.625 inches

**Body Height:** 

3.062 inches

## **End Application:**

Air traffic control beacon interrogator 4 (atcbi4)

## **Inclosure Type:**

Hermetically sealed

## **Mounting Facility Quantity:**

4 single group

## **Mounting Method:**

Threaded stud single group

## Winding Function And Quantity:

1 primary single component and 2 secondary single component

## Thready Qty Per Inch (tpi):

32 single group

## Thread Size:

0.164 inches single group

## **Winding Operating Current:**

1.0 amperes ac single component 3rd secondary

## **Winding Operating Voltage:**

20.25 ac volts single component all secondary

## **Special Features:**

Primary taps used to adjust output voltages to minus six, plus six, or plus twelve percent of values

## **Thread Series Designator:**

Unc single group

## **Terminal Type And Quantity:**

11 tab, solder lug

## Shelf Life:

N/a

# NSN 5950-00-166-3994

Power Transformer - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A058b0