## NSN 5950-00-168-3982

Power Autotransformer Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-168-3982
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
3.000 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.281 inches single mounting facility single center group
Mounting Hole Diameter:
0.213 inches single group
Frequency Rating:
400.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Body Length:
3.375 inches
Body Width:
2.281 inches
Body Height:
2.094 inches
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Unthreaded hole single group
Winding Function And Quantity:
1 primary, fixed autotransformer type single component
Winding Operating Current:
5.4 amperes ac single component single primary output
Winding Operating Voltage:
28.00 ac pounds per hour wet single component single primary output
Test Data Document:
97499-209-075-363-1 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
3 screw
Specification Data:
97499-209-075-363 manufacturers source control
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

## NSN 5950-00-168-3982

Power Autotransformer Transformer - Page 2 of 2



Fiig:

A058b0