## NSN 5950-00-173-4385

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-173-4385

### **Reliability Indicator:**

Not established

### Center To Center Distance Between Mounting Facilities Parallel To Length:

3.281 inches single mounting facility single center group and 3.343 inches single mounting facility single center group

### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.657 inches single mounting facility single center group and 2.719 inches single mounting facility single center group

### **Overall Height:**

4.562 inches

### **Frequency Rating:**

45.0 hertz single component and 420.0 hertz single component

### Input-output Phase Relationship:

Single phase to single phase single component

### **Winding Shielding Method:**

Internal shield brought out to terminal single component

### **Body Length:**

Between 4.187 inches and 4.312 inches

### **Body Width:**

Between 3.563 inches and 3.688 inches

### **Body Height:**

Between 3.812 inches and 4.000 inches

### **Inclosure Type:**

Hermetically sealed

### **Mounting Facility Quantity:**

4 single group

### **Mounting Method:**

Threaded hole single group

### **Winding Function And Quantity:**

1 primary single component and 4 secondary single component

### Thready Qty Per Inch (tpi):

32 single group

### **Thread Size:**

0.190 inches single group

### **Winding Operating Voltage:**

280.00 ac volts single component 1st secondary

### **Thread Series Designator:**

Unf single group

### **Terminal Type And Quantity:**

11 turret

### Shelf Life:

N/a

### **Unit Of Measure:**

--

# NSN 5950-00-173-4385

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0