NSN 5950-00-174-3655

Saturable Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-174-3655

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.932 inches and 1.942 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.682 inches and 1.692 inches single mounting facility single center group

Overall Height:

2.560 inches

Overall Width:

2.250 inches

Frequency Rating:

400.0 hertz single component

Body Length:

3.250 inches

Maximum Operating Temp:

105.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

2 primary and 2 control single component

Saturation Current Rating:

20.0 milliamperes

Thread Size:

0.190 inches single group

Dc Resistance Rating In Ohms:

37.000 single component 2nd control

Winding Power Rating:

175.5 volts-amperes single component all primary

Winding Operating Voltage:

39.00 ac volts single component all primary

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

4 tab, solder lug and 4 wire loop

Reference Number Differentiating Characteristics:

As differentiated by the naval ordnance systems command dwg 2326352

Shelf Life:

N/a

NSN 5950-00-174-3655

Saturable Reactor - Page 2 of 2



		eas	

--

Demilitarization:

No

Fiig:

A058b0