# NSN 5950-00-175-3123

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-175-3123

# Reliability Indicator:

Not established

# Center To Center Distance Between Mounting Facilities Parallel To Length:

4.125 inches single mounting facility single center group

# Center To Center Distance Between Mounting Facilities Parallel To Width:

3.438 inches single mounting facility single center group

# Inductance Type:

Swinging

### **Inductance Rating:**

160.00 millihenries single component single winding and 320.00 millihenries single component single winding

## Body Length:

5.438 inches

# **Body Width:**

4.844 inches

# Body Height:

5.312 inches

### .....

Winding Quantity: 1 single component

# Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

# 4 single group

# Mounting Method:

Threaded stud single group

# **Rating Method:**

Electrical single component single winding

# Thready Qty Per Inch (tpi):

20 single group

# Thread Size:

0.250 inches single group

# Winding Operating Current:

100.0 milliamperes dc single component single winding and 2.5 amperes dc single component single winding

# Dc Resistance Rating In Ohms:

0.850 single component single winding

# **Thread Series Designator:**

Unc single group

# **Terminal Type And Quantity:**

2 standoff, threaded stud

Shelf Life:

N/a

## Unit Of Measure:

---

# NSN 5950-00-175-3123

Reactor - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

