NSN 5950-00-175-4470

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-175-4470

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.046 inches single mounting facility single center group and 2.078 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.984 inches single mounting facility single center group and 2.016 inches single mounting facility single center group

Inductance Type:

Fixed

Inductance Rating:

100.00 millihenries single component single winding

Frequency Rating:

90.0 hertz single component and 840.0 hertz single component

Body Length:

Between 2.375 inches and 2.500 inches

Body Width:

Between 2.567 inches and 2.687 inches

Body Height:

Between 3.812 inches and 4.000 inches

Winding Quantity:

1 single component

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Rating Method:

Electrical single component single winding

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.164 inches single group

Winding Operating Current:

1.0 amperes dc single component single winding

Dc Resistance Rating In Ohms:

1.000 single component single winding

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

2 tab, solder lug

Shelf Life:

N/a

NSN 5950-00-175-4470

Reactor - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0