# NSN 5950-00-175-4470

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-175-4470

#### **Reliability Indicator:**

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

2.046 inches single mounting facility single center group and 2.078 inches single mounting facility single center group

# Center To Center Distance Between Mounting Facilities Parallel To Width:

1.984 inches single mounting facility single center group and 2.016 inches single mounting facility single center group

# Inductance Type:

Fixed

#### Inductance Rating:

100.00 millihenries single component single winding

#### **Frequency Rating:**

90.0 hertz single component and 840.0 hertz single component

#### **Body Length:**

Between 2.375 inches and 2.500 inches

#### **Body Width:**

Between 2.567 inches and 2.687 inches

#### **Body Height:**

Between 3.812 inches and 4.000 inches

#### Winding Quantity:

1 single component

# Inclosure Type:

Hermetically sealed

#### **Mounting Facility Quantity:**

4 single group

#### Mounting Method:

Threaded stud single group

#### **Rating Method:**

Electrical single component single winding

#### Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.164 inches single group

#### Winding Operating Current:

1.0 amperes dc single component single winding

#### Dc Resistance Rating In Ohms:

1.000 single component single winding

#### **Thread Series Designator:**

Unc single group

#### **Terminal Type And Quantity:**

2 tab, solder lug

Shelf Life:

N/a

# NSN 5950-00-175-4470

Reactor - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A058b0

