NSN 5950-00-187-4370

Current Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-187-4370
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
6.937 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.000 inches single mounting facility single center group
Mounting Hole Diameter:
0.562 inches single group
Frequency Rating:
54.0 hertz single component and 66.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Body Length:
8.500 inches
Body Width:
4.625 inches
Body Height:
10.156 inches
Installation For Which Designed:
Indoor nonportable
Inclosure Type:
Open
Mounting Facility Quantity:
4 1st group
Mounting Method:
Flange single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Winding Operating Current:
5.0 amperes ac single component single secondary
Winding Operating Voltage:
600.00 ac volts single component single primary
Test Data Document:
81349-mil-i-1361 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
2 threaded hole
Specification Or Standard:
3 class and nss grade
Shelf Life:

--

N/a

Unit Of Measure:

NSN 5950-00-187-4370

Current Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0