NSN 5950-00-187-9711

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-187-9711

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.460 inches single mounting facility single center group and 2.480 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.490 inches single mounting facility single center group and 1.510 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to single phase single component and three phase to three phase single component

Transformer Winding Connection Type:

Delta-wye

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

3.000 inches

Body Width:

2.090 inches

Body Height:

1.360 inches

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 4 secondary single component

Thread Size:

0.138 inches single group

Winding Operating Current:

73.0 milliamperes ac single component 1st secondary

Winding Power Rating:

7.5 volts-amperes single component 4th secondary

Winding Operating Voltage:

78.20 ac volts single component 1st secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

16 turret

NSN 5950-00-187-9711

Power Transformer - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0