NSN 5950-00-189-3671

Radio Frequency Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-189-3671	
Turn Quantity:	
14-1/4 single component single primary	
Inductance Rating:	
3.58 microhenries single component single primary	
Frequency Rating:	
7.0 megahertz single component	
Coil Form Type:	
Hollow single component	
Adjustment Device Drive Type:	
Slotted screw single component	
Body Length:	
3.000 inches	
Body Outside Diameter:	
1.062 inches	
Distance Between Mounting Facility Centers:	
0.812 inches single mounting facility single center group	
Inclosure Type:	
Open	
Open	
Open Mounting Facility Quantity:	
Open Mounting Facility Quantity: 2 single group	
Open Mounting Facility Quantity: 2 single group Mounting Method:	
Open Mounting Facility Quantity: 2 single group Mounting Method: Threaded stud single group	
Open Mounting Facility Quantity: 2 single group Mounting Method: Threaded stud single group Winding Function And Quantity:	
Open Mounting Facility Quantity: 2 single group Mounting Method: Threaded stud single group Winding Function And Quantity: 1 primary single component	
Open Mounting Facility Quantity: 2 single group Mounting Method: Threaded stud single group Winding Function And Quantity: 1 primary single component Thready Qty Per Inch (tpi):	
Mounting Facility Quantity: 2 single group Mounting Method: Threaded stud single group Winding Function And Quantity: 1 primary single component Thready Qty Per Inch (tpi): 32 single group	
Mounting Facility Quantity: 2 single group Mounting Method: Threaded stud single group Winding Function And Quantity: 1 primary single component Thready Qty Per Inch (tpi): 32 single group Thread Size:	
Mounting Facility Quantity: 2 single group Mounting Method: Threaded stud single group Winding Function And Quantity: 1 primary single component Thready Qty Per Inch (tpi): 32 single group Thread Size: 0.138 inches single group	ıry
Mounting Facility Quantity: 2 single group Mounting Method: Threaded stud single group Winding Function And Quantity: 1 primary single component Thready Qty Per Inch (tpi): 32 single group Thread Size: 0.138 inches single group Winding Conductor Size: 0.04030 inches american wire gage single component single primary Adjustment Method And Quantity:	ıry
Mounting Facility Quantity: 2 single group Mounting Method: Threaded stud single group Winding Function And Quantity: 1 primary single component Thready Qty Per Inch (tpi): 32 single group Thread Size: 0.138 inches single group Winding Conductor Size: 0.04030 inches american wire gage single component single prima Adjustment Method And Quantity: 1 adjustable core single component	ıry
Mounting Facility Quantity: 2 single group Mounting Method: Threaded stud single group Winding Function And Quantity: 1 primary single component Thready Qty Per Inch (tpi): 32 single group Thread Size: 0.138 inches single group Winding Conductor Size: 0.04030 inches american wire gage single component single primary Adjustment Method And Quantity:	ıry

Unc single group

Terminal Type And Quantity:

3 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

NSN 5950-00-189-3671

Radio Frequency Transformer - Page 2 of 2



Fiig:

A058b0