

View Online at <https://aerobasegroup.com/nsn/5950-00-190-5773>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

0.990 inches single mounting facility single center group and 1.010 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.115 inches single mounting facility single center group and 2.135 inches single mounting facility single center group

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield brought out to terminal single component

**Body Length:**

Between 2.677 inches and 2.697 inches

**Body Width:**

Between 2.302 inches and 2.322 inches

**Body Height:**

Between 3.052 inches and 3.072 inches

**Maximum Operating Temp:**

160.0 degrees celsius

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thread Size:**

0.138 inches single group

**Winding Operating Voltage:**

8.00 ac volts single component single secondary and 12.50 ac volts single component single secondary and 17.50 ac volts single component single secondary and 18.50 ac volts single component single secondary and 19.00 ac volts single component single secondary and 21.00 ac volts single component single secondary and 21.50 ac volts single component single secondary and 22.50 ac volts single component single secondary and 27.50 ac volts single component single secondary and 32.00 ac volts single component single secondary and 40.00 ac volts single component single secondary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

16 turret

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

**Fig:**

A058b0