

View Online at <https://aerobasegroup.com/nsn/5950-00-192-9622>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.340 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.020 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Delta-wye

Body Length:

Between 1.790 inches and 1.850 inches

Body Width:

Between 1.470 inches and 1.530 inches

Body Height:

Between 0.935 inches and 0.995 inches

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

2 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.138 inches single group

Winding Operating Current:

6.5 milliamperes ac single component single secondary

Winding Operating Voltage:

45.00 ac volts single component single secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

6 turret

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0