

View Online at <https://aerobasegroup.com/nsn/5950-00-197-4398>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.938 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.688 inches single mounting facility single center group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

4.000 inches

Body Width:

3.500 inches

Body Height:

4.750 inches

End Application:

Wsd: general purpose electronic test equipment gpete; joint surveillance system

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 3 secondary single component

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.190 inches single group

Winding Operating Current:

80.0 milliamperes ac single component 3rd secondary

Criticality Code Justification:

Feat

Winding Operating Voltage:

750.00 ac volts single component 3rd secondary

Special Features:

Weapon system essential

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

9 standoff insulator

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0