NSN 5950-00-197-4667



Power Transformer - Page 1 of 2	
View Online at https://aerobasegroup.com/nsn/5950-00-197-4667	
Reliability Indicator:	
Not established	
Overall Length:	
4.468 inches	
Center To Center Distance Between Mounting Facilities Parallel To Length:	
3.812 inches single mounting facility single center group	
Center To Center Distance Between Mounting Facilities Parallel To Width:	
3.359 inches single mounting facility single center group	
Overall Width:	
3.843 inches	
Frequency Rating:	
50.0 hertz single component and 60.0 hertz single component	
Input-output Phase Relationship:	
Single phase to single phase single component	
Winding Shielding Method:	
Internal shield grounded to inclosure single component	
Body Length:	
4.468 inches	
Body Width:	
3.843 inches	
Body Height:	
6.000 inches	
Inclosure Type:	
Partially enclosed, double shell	
Mounting Facility Quantity:	
4 single group	

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

2 primary single component and 3 secondary single component

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.190 inches single group

Winding Operating Current:

55.0 milliamperes ac single component 1st secondary

Winding Operating Voltage:

6.30 ac volts single component 3rd secondary

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

7 tab, solder lug and 4 standoff, screw

NSN 5950-00-197-4667

Power Transformer - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A058b0