# NSN 5950-00-198-5914

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-198-5914

## Reliability Indicator: Not established

### Center To Center Distance Between Mounting Facilities Parallel To Length:

3.875 inches single mounting facility single center group

### Center To Center Distance Between Mounting Facilities Parallel To Width:

2.000 inches single mounting facility single center group

#### **Frequency Rating:**

60.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

4.875 inches

Body Width:

3.312 inches

Body Height:

4.938 inches

Inclosure Type:

Hermetically sealed

#### **Mounting Facility Quantity:**

4 single group

Mounting Method:

Threaded hole single group

#### Winding Function And Quantity:

1 primary single component and 1 secondary single component

#### Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.190 inches single group

#### Winding Operating Current:

160.0 milliamperes dc single component single secondary

#### Winding Operating Voltage:

900.00 ac volts single component single secondary

#### **Special Features:**

Case metal material; 0.375 in. O/a height of terminals

#### **Thread Series Designator:**

Unf single group

#### **Terminal Type And Quantity:**

5 standoff, solder lug

Shelf Life:

N/a

#### Unit Of Measure:

--

# NSN 5950-00-198-5914

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

