

View Online at <https://aerobasegroup.com/nsn/5950-00-198-8704>

**Reliability Indicator:**

Not established

**Mounting Hole Diameter:**

0.125 inches single group

**Frequency Rating:**

60.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Body Length:**

3.000 inches

**Body Width:**

1.062 inches

**Body Height:**

1.062 inches

**Distance Between Mounting Facility Centers:**

1.500 inches single mounting facility single center group

**End Application:**

Cvn 68 class reactor fill auxiliary system, sturgeon class ssn (637), nimitz class cvn, los angeles class ssn (688), fire pumps, forrestal class cv, fire control system, missile mk 74 (fcs), ticonderoga class cg (47), spruance class dd (963)

**Inclosure Type:**

Partially enclosed, double shell

**Mounting Facility Quantity:**

2 single group

**Mounting Method:**

Flange single group and unthreaded hole single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Criticality Code Justification:**

Feat

**Winding Operating Voltage:**

450.00 ac volts single component single primary

**Special Features:**

Weapon system essential

**Terminal Type And Quantity:**

5 threaded stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0