NSN 5950-00-199-1709

Power Transformer - Page 1 of 2

Thread Class (non-core):

2a single group

Not established

Reliability Indicator:



View Online at https://aerobasegroup.com/nsn/5950-00-199-1709

Center To Center Distance Between Mounting Facilities Parallel To Length:
2.875 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.250 inches single mounting facility single center group
Frequency Rating:
60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure single component
Body Length:
3.750 inches
Body Width:
3.625 inches
Body Height:
4.750 inches
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary and 2 secondary single component
Thready Qty Per Inch (tpi):
24 single group
Thread Size:
0.164 inches single group
Winding Operating Current:
4.0 milliamperes ac single component 2nd secondary
Winding Operating Voltage:
2.30 ac kilovolts single component 2nd secondary
Thread Series Designator:
Uns single group
Terminal Type And Quantity:
6 standoff insulator
Shelf Life:
N/a

NSN 5950-00-199-1709

Power Transformer - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A058b0