NSN 5950-00-199-2180

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-199-2180 **Reliability Indicator:** Not established **Overall Length:** 4.438 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 3.875 inches single mounting facility single center group **Center To Center Distance Between Mounting Facilities Parallel To Width:** 2.750 inches single mounting facility single center group **Overall Height:** 5.062 inches **Overall Width:** 3.625 inches **Mounting Hole Diameter:** 0.220 inches single group Frequency Rating: 50.0 hertz single component or 60.0 hertz single component Input-output Phase Relationship: Single phase to single phase single component **Winding Shielding Method:** Internal shield grounded to core single component **Body Height:** 4.281 inches **Inclosure Type:** Hermetically sealed **Mounting Facility Quantity:** 6 single group **Mounting Method:** Flange single group and unthreaded hole single group Winding Function And Quantity: 1 primary single component and 2 secondary single component Winding Operating Current:

Williams Operating Current.
6.6 amperes ac single component 2nd secondary
Winding Operating Voltage:
6.30 ac volts single component 2nd secondary
Terminal Type And Quantity:
7 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

NSN 5950-00-199-2180

Power Transformer - Page 2 of 2



Fiig:

A058b0