

View Online at <https://aerobasegroup.com/nsn/5950-00-199-2293>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

3.500 inches single mounting facility single center group

**Frequency Rating:**

50.0 hertz single component or 60.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield grounded to inclosure single component

**Body Length:**

7.875 inches

**Body Width:**

5.750 inches

**Body Height:**

8.000 inches

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thready Qty Per Inch (tpi):**

32 single group

**Thread Size:**

0.190 inches single group

**Winding Operating Current:**

65.0 amperes ac single component single secondary

**Winding Operating Voltage:**

34.00 ac volts single component single secondary

**Special Features:**

Marked p1 p2 s1 s2 on top of case and h pot 700 v rms w/schematic on front

**Thread Series Designator:**

Unf single group

**Terminal Type And Quantity:**

4 solder stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0