## NSN 5950-00-199-2345

Audio Frequency Transformer - Page 1 of 1



| View Online at https://aerobasegroup.com/nsn/5950-00-199-2345             |
|---|
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 1.312 inches single mounting facility single center group                 |
| Center To Center Distance Between Mounting Facilities Parallel To Width:  |
| 0.875 inches single mounting facility single center group                 |
| Transformer Function:   |
| Interstage  |
| Impedance Rating In Ohms:   |
| 8000.0 single component single primary                                    |
| Frequency Rating:   |
| 30.0 hertz single component and 10.0 kilohertz single component           |
| Maximum Transformer Power Rating:   |
| 1.0 milliwatts single component   |
| Primary To Secondary Turn Ratio:  |
| 3.5 to 1 single component   |
| Body Length:  |
| 1.750 inches  |
| Body Width:   |
| 1.375 inches  |
| Body Height:  |
| 2.250 inches  |
| Inclosure Type:   |
| Hermetically sealed   |
| Mounting Facility Quantity:   |
| 4 single group  |
| Mounting Method:  |
| Threaded stud single group  |
| Winding Function And Quantity:  |
| 1 primary single component and 1 secondary single component               |
| Winding Operating Current:  |
| 10.0 milliamperes dc single component single primary                      |
| Special Features:   |
| Case metal material   |
| Terminal Type And Quantity:   |
| 4 tab, solder lug   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |

No

Demilitarization:

Fiig:

A058b0