NSN 5950-00-204-7982

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-204-7982
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.090 inches single mounting facility single center group and 2.010 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.090 inches single mounting facility single center group and 2.010 inches single mounting facility single center group
Mounting Hole Diameter:
0.193 inches single group and 0.199 inches single group
Frequency Rating:
50.0 hertz single component and 440.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure single component
Body Length:
2.820 inches
Body Width:
2.750 inches
Body Height:
2.250 inches
Maximum Operating Temp:
120.0 degrees celsius
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Flange single group and unthreaded hole single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Winding Operating Current:
1.0 amperes ac single component single secondary
Winding Operating Voltage:
85.00 ac volts single component single secondary
Terminal Type And Quantity:
4 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

NSN 5950-00-204-7982

Power Transformer - Page 2 of 2



Fiig:

A058b0