NSN 5950-00-211-7142

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-211-7142

| view Offline at https://aerobasegroup.com/nish/0000-211-7142 |
|---|
| Reliability Indicator: |
| Not established |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 2.500 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 1.250 inches single mounting facility single center group |
| Overall Height: |
| 2.360 inches |
| Frequency Rating: |
| 380.0 hertz single component and 420.0 hertz single component |
| Input-output Phase Relationship: |
| Single phase to three phase single component |
| Transformer Winding Connection Type: |
| Delta-delta |
| Body Length: |
| 3.000 inches |
| Body Width: |
| 1.750 inches |
| Body Height: |
| 2.060 inches |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Quantity: |
| 4 single group |
| Mounting Method: |
| Threaded hole single group |
| Winding Function And Quantity: |
| 2 primary single component and 1 secondary single component |
| Thready Qty Per Inch (tpi): |
| 32 single group |
| Thread Size: |
| 0.164 inches single group |
| Winding Operating Current: |
| 1.35 amperes ac single component all primary |
| Winding Operating Voltage: |
| 6.06 ac volts single component all primary |
| Thread Series Designator: |
| Unc single group |
| Terminal Type And Quantity: |
| 7 turret |
| Shelf Life: |

N/a

NSN 5950-00-211-7142

Power Transformer - Page 2 of 2



| | Of | | | |
|--|----|--|--|--|

--

Demilitarization:

No

Fiig:

A058b0