

View Online at <https://aerobasegroup.com/nsn/5950-00-223-4681>

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.625 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.125 inches single mounting facility single center group

**Impedance Rating In Ohms:**

25000.0 single component all secondary

**Frequency Rating:**

60.0 hertz single component and 400.0 hertz single component

**Maximum Transformer Power Rating:**

6.0 milliwatts single component

**Primary To Secondary Turn Ratio:**

1 to 3.16 single component

**Winding Shielding Method:**

Internal shield brought out to terminal single component

**Body Length:**

2.938 inches

**Body Width:**

2.750 inches

**Body Height:**

2.188 inches

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

2 primary single component and 2 secondary single component

**Thready Qty Per Inch (tpi):**

32 single group

**Thread Size:**

0.138 inches single group

**Winding Operating Current:**

12.0 milliamperes dc single component all primary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

9 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0