NSN 5950-00-227-8740

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-227-8740

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.245 inches single mounting facility single center group and 3.255 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.495 inches single mounting facility single center group and 2.505 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Wye-wye

Winding Shielding Method:

Internal shield grounded to core single component

Body Length:

6.800 inches

Body Width:

3.600 inches

Body Height:

4.850 inches

Maximum Operating Temp:

170.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.164 inches single group

Winding Operating Current:

130.0 milliamperes dc single component single secondary

Winding Power Rating:

741.0 volts-amperes single component single secondary

Winding Operating Voltage:

5.70 dc kilovolts single component single secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

9 tab, solder lug

NSN 5950-00-227-8740

Power Transformer - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0

