NSN 5950-00-229-6073

Electrical Coil - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-229-6073

Not established Turn Quantity: 2800 single component single winding Body Length: 2.880 inches Body Width: 2.750 inches Body Height: 2.130 inches Winding Quantity: 1 single component Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method: Electrical single component single winding turns single component single winding Winding Conductor Size: 0.01420 inches american wire gage single component single winding Dc Resistance Rating In Ohms: 78.000 single component single winding Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A058b0	Reliability Indicator:
2800 single component single winding Body Length: 2.880 inches Body Width: 2.750 inches Body Height: 2.130 inches Winding Quantity: 1 single component Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method: Electrical single component single winding and winding turns single component single winding Winding Conductor Size: 0.01420 inches american wire gage single component single winding Dc Resistance Rating In Ohms: 78.000 single component single winding Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Not established
Body Length: 2.880 inches Body Width: 2.750 inches Body Height: 2.130 inches Winding Quantity: 1 single component Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method: Electrical single component single winding and winding turns single component single winding Winding Conductor Size: 0.01420 inches american wire gage single component single winding Dc Resistance Rating In Ohms: 78.000 single component single winding Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Turn Quantity:
2.880 inches Body Width: 2.750 inches Body Height: 2.130 inches Winding Quantity: 1 single component Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method: Electrical single component single winding and winding turns single component single winding Winding Conductor Size: 0.01420 inches american wire gage single component single winding Dc Resistance Rating In Ohms: 78.000 single component single winding Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	2800 single component single winding
Body Width: 2.750 inches Body Height: 2.130 inches Winding Quantity: 1 single component Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method: Electrical single component single winding and winding turns single component single winding Winding Conductor Size: 0.01420 inches american wire gage single component single winding Dc Resistance Rating In Ohms: 78.000 single component single winding Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Figs:	Body Length:
2.750 inches Body Height: 2.130 inches Winding Quantity: 1 single component Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method: Electrical single component single winding and winding turns single component single winding Winding Conductor Size: 0.01420 inches american wire gage single component single winding Dc Resistance Rating In Ohms: 78.000 single component single winding Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	2.880 inches
Body Height: 2.130 inches Winding Quantity: 1 single component Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method: Electrical single component single winding and winding turns single component single winding Winding Conductor Size: 0.01420 inches american wire gage single component single winding Dc Resistance Rating In Ohms: 78.000 single component single winding Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Body Width:
2.130 inches Winding Quantity: 1 single component Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method: Electrical single component single winding and winding turns single component single winding Winding Conductor Size: 0.01420 inches american wire gage single component single winding Dc Resistance Rating In Ohms: 78.000 single component single winding Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	2.750 inches
Winding Quantity: 1 single component Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method: Electrical single component single winding and winding turns single component single winding Winding Conductor Size: 0.01420 inches american wire gage single component single winding Dc Resistance Rating In Ohms: 78.000 single component single winding Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Body Height:
Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method: Electrical single component single winding and winding turns single component single winding Winding Conductor Size: 0.01420 inches american wire gage single component single winding Dc Resistance Rating In Ohms: 78.000 single component single winding Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	2.130 inches
Inclosure Type: Fully enclosed Mounting Method: Terminal single group Rating Method: Electrical single component single winding and winding turns single component single winding Winding Conductor Size: 0.01420 inches american wire gage single component single winding Dc Resistance Rating In Ohms: 78.000 single component single winding Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Winding Quantity:
Fully enclosed Mounting Method: Terminal single group Rating Method: Electrical single component single winding and winding turns single component single winding Winding Conductor Size: 0.01420 inches american wire gage single component single winding Dc Resistance Rating In Ohms: 78.000 single component single winding Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	1 single component
Mounting Method: Terminal single group Rating Method: Electrical single component single winding and winding turns single component single winding Winding Conductor Size: 0.01420 inches american wire gage single component single winding Dc Resistance Rating In Ohms: 78.000 single component single winding Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Inclosure Type:
Terminal single group Rating Method: Electrical single component single winding and winding turns single component single winding Winding Conductor Size: 0.01420 inches american wire gage single component single winding Dc Resistance Rating In Ohms: 78.000 single component single winding Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Fully enclosed
Rating Method: Electrical single component single winding and winding turns single component single winding Winding Conductor Size: 0.01420 inches american wire gage single component single winding Dc Resistance Rating In Ohms: 78.000 single component single winding Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Mounting Method:
Electrical single component single winding and winding turns single component single winding Winding Conductor Size: 0.01420 inches american wire gage single component single winding Dc Resistance Rating In Ohms: 78.000 single component single winding Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Terminal single group
Winding Conductor Size: 0.01420 inches american wire gage single component single winding Dc Resistance Rating In Ohms: 78.000 single component single winding Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Rating Method:
0.01420 inches american wire gage single component single winding Dc Resistance Rating In Ohms: 78.000 single component single winding Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Electrical single component single winding and winding turns single component single winding
Dc Resistance Rating In Ohms: 78.000 single component single winding Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Winding Conductor Size:
78.000 single component single winding Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	0.01420 inches american wire gage single component single winding
Winding Operating Voltage: 440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Dc Resistance Rating In Ohms:
440.00 ac pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	78.000 single component single winding
Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Winding Operating Voltage:
2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	440.00 ac pounds per hour wet single component single winding
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Terminal Type And Quantity:
N/a Unit Of Measure: Demilitarization: No Fiig:	2 wire lead
Unit Of Measure: Demilitarization: No Fiig:	Shelf Life:
Demilitarization: No Fiig:	N/a
No Fiig:	Unit Of Measure:
No Fiig:	
Fiig:	Demilitarization:
	No
A058b0	Fiig:
	A058b0