NSN 5950-00-230-8541

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-230-8541
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.245 inches single mounting facility all center groupings and 1.255 inches single mounting facility all center groupings
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.464 inches single mounting facility all center groupings and 1.474 inches single mounting facility all center groupings
Mounting Hole Diameter:
0.090 inches 2nd group
Frequency Rating:
400.0 hertz single component
Input-output Phase Relationship:
Three phase to single phase single component
Winding Shielding Method:
Internal shield grounded to core single component
Body Length:
2.000 inches
Body Width:
1.875 inches
Body Height:
1.000 inches
Maximum Operating Temp:
155.0 degrees celsius
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 all groupings
Mounting Method:
Unthreaded hole all groupings
Winding Function And Quantity:
1 primary single component and 3 secondary single component
Winding Operating Current:
400.0 milliamperes dc single component all secondary
Winding Operating Voltage:
37.20 ac volts single component all secondary
Special Features:
All secondary center tapps tied together and brought out to same terminal
Terminal Type And Quantity:
10 tab, solder lug
Shelf Life:

--

N/a

Unit Of Measure:

NSN 5950-00-230-8541

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0