# NSN 5950-00-230-8572

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-230-8572

# **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.750 inches single mounting facility single center group

# Center To Center Distance Between Mounting Facilities Parallel To Width:

1.750 inches single mounting facility single center group

#### **Overall Height:**

4.036 inches

#### **Frequency Rating:**

400.0 hertz single component

#### Input-output Phase Relationship:

Three phase to three phase single component

#### **Transformer Winding Connection Type:**

Delta-wye

#### **Winding Shielding Method:**

Internal shield grounded to inclosure and core single component

#### **Body Length:**

2.640 inches

# **Body Width:**

3.910 inches

# **Body Height:**

3.190 inches

#### **Maximum Operating Temp:**

130.0 degrees celsius

# **Inclosure Type:**

Hermetically sealed

# **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Threaded stud single group

# Winding Function And Quantity:

1 primary single component and 2 secondary single component

# Thready Qty Per Inch (tpi):

32 single group

# Thread Size:

0.164 inches single group

# **Winding Operating Current:**

5.0 amperes ac single component all secondary

# **Winding Operating Voltage:**

23.80 ac volts single component all secondary

# **Thread Series Designator:**

Unc single group

# NSN 5950-00-230-8572

Power Transformer - Page 2 of 2



Terminal	Type And	Quantity
9 turret		

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0