## NSN 5950-00-232-3813

Power Transformer - Page 1 of 2

Reliability Indicator:

Not established

Overall Length:



View Online at https://aerobasegroup.com/nsn/5950-00-232-3813

2.000 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.281 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.250 inches single mounting facility single center group
Overall Height:
2.125 inches
Overall Width:
1.938 inches
Frequency Rating:
380.0 hertz single component and 1.0 kilohertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Maximum Operating Temp:
100.0 degrees celsius
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded hole single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Thread Size:
0.138 inches single group
Winding Operating Current:
6.75 amperes ac single component single secondary
Winding Power Rating:
42.52 volts-amperes single component single secondary
Winding Operating Voltage:
6.30 ac volts single component single secondary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
7 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:

## NSN 5950-00-232-3813

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0