NSN 5950-00-235-2086

Power Transformer - Page 1 of 1

Fiig: A058b0



View Online at https://aerobasegroup.com/nsn/5950-00-235-2086
Reliability Indicator:
Not establishednot established
Frequency Rating:
50.0 hertz single component and 50.0 hertz single component and 60.0 hertz single component60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single componentsingle phase to single phase single component
Body Length:
5.000 inches 5.000 inches
Body Outside Diameter:
4.938 inches 4.938 inches
Inclosure Type:
Fully enclosedfully enclosed
Mounting Facility Quantity:
3 single group3 single group
Mounting Method:
Threaded hole single groupthreaded hole single group
Winding Function And Quantity:
1 primary, variable autotransformer type single component1 primary, variable autotransformer type single component
Winding Operating Current:
7.5 amperes ac single component single secondary
Winding Power Rating:
860.0 volts-amperes single component single secondary
Winding Operating Voltage:
115.00 ac volts single component single primary115.00 ac volts single component single secondary and 135.00 ac volts single component
single secondary
Special Features:
Plug-in socket for output switch; mtg holes equally spaced on 3.500 in. Circle
Terminal Type And Quantity:
7 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No