

View Online at <https://aerobasegroup.com/nsn/5950-00-235-6857>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

6.625 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

5.500 inches single mounting facility single center group

Mounting Hole Diameter:

0.562 inches single group

Transformer Function:

Modulation

Impedance Rating In Ohms:

12500.0 single component single primary

Frequency Rating:

100.0 hertz single component and 5.0 kilohertz single component

Maximum Transformer Power Rating:

250.0 watts single component

Primary To Secondary Turn Ratio:

1 to 1-6/10 to 6-1/4 single component

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

8.875 inches

Body Width:

8.312 inches

Body Height:

8.500 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

60.0 milliamperes dc single component 2nd secondary

Terminal Type And Quantity:

7 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0