## NSN 5950-00-236-3870

Radio Frequency Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-236-3870

Reliability Indicator:					
Not established					
Turn Quantity:					
15 single component single secondary					
Inductance Rating:					
2.26 microhenries single component single secondary					
Frequency Rating:					
15.0 megahertz single component and 20.0 megahertz single component					
Coil Form Type:					
Hollow single component					
Adjustment Device Drive Type:					
Slotted screw single component					
Body Length:					
4.000 inches					
Body Width:					
2.000 inches					
Body Height:					
1.438 inches					
Distance Between Mounting Facility Centers:					
1.438 inches single mounting facility single center group					
Inclosure Type:					
Fully enclosed					
Mounting Facility Quantity:					
2 single group					
Mounting Method:					
Threaded stud single group					
Rating Method:					
Electrical single component single primary and winding turns single component single primary					
Winding Function And Quantity:					
1 primary single component and 1 secondary single component					
Thready Qty Per Inch (tpi):					
32 single group					
Thread Size:					
0.138 inches single group					
Winding Conductor Size:					

0.02535 inches american wire gage single component single primary

### **Adjustment Method And Quantity:**

2 adjustable capacitor single component

### **Thread Series Designator:**

Unc single group

### **Terminal Type And Quantity:**

4 tab, solder lug

# NSN 5950-00-236-3870

Radio Frequency Transformer - Page 2 of 2



SI	1e	lf	Ιi	fe:
Ο.	···	•••	_	٠٠.

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0