NSN 5950-00-236-6765

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-236-6765

Reliability	Indicator:
-------------	------------

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.094 inches single mounting facility single center group and 3.156 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.219 inches single mounting facility single center group and 2.281 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to core and brought out to terminal single component

Body Length:

3.750 inches

Body Width:

3.000 inches

Body Height:

4.000 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.190 inches single group

Winding Operating Current:

1.68 amperes ac single component single primary and 3.04 amperes ac single component single primary

Winding Power Rating:

350.0 volts-amperes single component single primary

Winding Operating Voltage:

208.00 ac volts single component single primary

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

5 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

NSN 5950-00-236-6765

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0