NSN 5950-00-237-2107

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-237-2107

_								
D	\sim	lia	hi	litv,	Ind	lica	+~	
Г		на	IJΙ	IILV	IIIU	III	ιU	Ι.

Not establishednot established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.500 inches single mounting facility single center group2.500 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.125 inches single mounting facility single center group3.125 inches single mounting facility single center group

Mounting Hole Diameter:

0.218 inches single group 0.218 inches single group

Frequency Rating:

60.0 hertz single component60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single componentsingle phase to single phase single component

Body Length:

3.750 inches 3.750 inches

Body Width:

3.120 inches 3.120 inches

Body Height:

3.500 inches 3.500 inches

Inclosure Type:

Fully enclosedfully enclosed

Mounting Facility Quantity:

4 single group4 single group

Mounting Method:

Flange single group and flange single group and unthreaded hole single groupunthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 primary single component and 6 secondary single component6 secondary single component

Winding Operating Voltage:

81.48 ac volts single component 1st secondary and 86.52 ac volts single component 1st secondary

Special Features:

Iprimary: 6 secondary windings

Terminal Type And Quantity:

18 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Denninanzation

No

Fiig:

A058b0