NSN 5950-00-237-2661

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-237-2661

| _ | | | | | _ | |
|----|-----|----|-------|------|---------|---|
| ᇚ | lia | hi | litv, | Ind | icator: | ٠ |
| 76 | на | vi | IILV | IIIU | icator. | |

Not establishednot established

Overall Length:

Between 3.940 inches and 3.940 inches and 4.060 inches 4.060 inches

Mounting Hole Diameter:

0.188 inches single group 0.188 inches single group

Frequency Rating:

50.0 hertz single component or 50.0 hertz single component or 60.0 hertz single component or 50.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single componentsingle phase to single phase single component

Body Length:

2.370 inches 2.370 inches

Body Width:

2.250 inches 2.250 inches

Body Height:

2.590 inches 2.590 inches

Distance Between Mounting Facility Centers:

3.562 inches single mounting facility single center group3.562 inches single mounting facility single center group

Inclosure Type:

Openopen

Mounting Facility Quantity:

2 single group2 single group

Mounting Method:

Unthreaded hole single groupunthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 primary single component and 1 secondary single component1 secondary single component

Features Provided:

Color coded lead

Winding Operating Current:

1.5 amperes ac single component single secondary

Winding Operating Voltage:

35.00 ac volts single component single secondary115.00 ac volts single component single primary

Terminal Type And Quantity:

5 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0