

View Online at <https://aerobasegroup.com/nsn/5950-00-238-2709>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.500 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.500 inches single mounting facility single center group

**Frequency Rating:**

400.0 hertz single component and 2.4 kilohertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Body Length:**

3.250 inches

**Body Width:**

2.875 inches

**Body Height:**

3.500 inches

**Inclosure Type:**

Open

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Flange single group and unthreaded hole single group

**Winding Function And Quantity:**

1 primary single component and 5 secondary single component

**Special Features:**

Primary winding 115 v rating, secondary windings rated 5.1 v at 2.0 amp, 6.4 v at 1.2 amp, 6.4 v at 9.4 amp w/center tap, 655.0 v at 210.0 ma w/center tap, and 880.0 v at 90.0 ma w/center tap and tapped at 12.6 v

**Terminal Type And Quantity:**

16 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0